PRINTED: 03/10/2011
FORM APPROVED

Division of Health Care Facilities

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	TN7001	A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	03/07/2011

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LIFE CARE CENTER OF COPPER BASIN	166 COPPER BASIN INDUSTRIAL PARK PO BOX 518 DUCKTOWN, TN 37326

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
N 002	1200-8-6 No Deficiencies During the Life Safety portion of the survey, there were no deficiencies cited from 1200-8-6, Standards for Nursing Homes.	N 002		